

PFNA - II

Proximal Femoral Nail
with Antirotation Blade




siiora

Preserving Nature's Most Wonderful Creation


Implants

PFNA NAIL- SHORT - 130° - TITANIUM



Dia (mm)	Length (mm)	Cat No.
9.0	170	Ti.060.09.170
10.0	170	Ti.060.10.170
11.0	170	Ti.060.11.170
12.0	170	Ti.060.12.170

PFNA NAIL- SHORT - 130° - TITANIUM



Dia (mm)	Length (mm)	Cat No.
9.0	240	Ti.062.09.240
10.0	240	Ti.062.10.240
11.0	240	Ti.062.11.240
12.0	240	Ti.062.12.240

Implants

PFNA NAIL- LONG 130° - TITANIUM



Dia (mm)	Length (mm)	Cat No. Left	Cat No. Right
9.0	340	Ti.064.09.340	Ti.065.09.340
9.0	360	Ti.064.09.360	Ti.065.09.360
9.0	380	Ti.064.09.380	Ti.065.09.380
9.0	400	Ti.064.09.400	Ti.065.09.400
9.0	420	Ti.064.09.420	Ti.065.09.420
9.0	440	Ti.064.09.440	Ti.065.09.440

Dia (mm)	Length (mm)	Cat No. Left	Cat No. Right
10.0	340	Ti.064.10.340	Ti.065.10.340
10.0	360	Ti.064.10.360	Ti.065.10.360
10.0	380	Ti.064.10.380	Ti.065.10.380
10.0	400	Ti.064.10.400	Ti.065.10.400
10.0	420	Ti.064.10.420	Ti.065.10.420
10.0	440	Ti.064.10.440	Ti.065.10.440

Dia (mm)	Length (mm)	Cat No. Left	Cat No. Right
11.0	340	Ti.064.11.340	Ti.065.11.340
11.0	360	Ti.064.11.360	Ti.065.11.360
11.0	380	Ti.064.11.380	Ti.065.11.380
11.0	400	Ti.064.11.400	Ti.065.11.400
11.0	420	Ti.064.11.420	Ti.065.11.420
11.0	440	Ti.064.11.440	Ti.065.11.440

Implants

Locking Bolt 4.9mm Self Tapping-Titanium



Cat No.	Length (mm)
Titanium	
Ti.040.024	24
Ti.040.026	26
Ti.040.028	28
Ti.040.030	30
Ti.040.032	32
Ti.040.034	34
Ti.040.036	36
Ti.040.038	38
Ti.040.040	40
Ti.040.042	42
Ti.040.044	44
Ti.040.046	46
Ti.040.048	48
Ti.040.050	50
Ti.040.052	52
Ti.040.054	54
Ti.040.056	56
Ti.040.058	58
Ti.040.060	60
Ti.040.065	65
Ti.040.070	70
Ti.040.075	75
Ti.040.080	80
Ti.040.085	85
Ti.040.090	90
Ti.040.095	95
Ti.040.100	100

Implants

PFNA Helical Blade - Titanium



Dia. (mm)	Cat No.	Length (mm)
10	Ti.070.060	60
10	Ti.070.065	65
10	Ti.070.070	70
10	Ti.070.075	75
10	Ti.070.080	80
10	Ti.070.085	85
10	Ti.070.090	90
10	Ti.070.095	95
10	Ti.070.100	100
10	Ti.070.105	105
10	Ti.070.110	110
10	Ti.070.115	115
10	Ti.070.120	120

Ti.071.000 End Cap with Set Screw - Titanium



Instruments

714.602 PFNA Jig - 130°



714.604 Attachment for PFNA Blade



714.606 Distal Hole Attachment



714.608 Locking Bolt for Attachment



714.610 Extractor for PFNA Blade



714.612 Extractor for PFNA Nail



714.614 8.0mm Ball Hex Screw Driver With T - Handle



714.616 Key for PFNA Blade



Instruments

714.620 Threaded Protection Sleeve For PFNA
10.0mm Reamer & PFNA BLADE



714.622 Conical Bolt For PFNA



714.624 Guide Wire Sleeve For 2.5mm X 850mm
Long Wire



714.626 Threaded Screw Driver for PFNA Blade



714.628 Threaded Guide Wire 3.0mm X 428mm Long



714.630 Protection Sleeve for Proximal Entry
Reamer 16mm



714.634 Hammer Guide



714.636 Impacting Device for Hammer



Instruments

714.638 Cannulated T- Handle for Medullary Canal



714.560 Proximal Entry Reamer 16.0 mm for PFNA



723.021 Cannulated Awl for Femur I.L. Nail



714.570 PFNA Reamer 10.0 mm Length 380 mm





714.575 Guide Wire Sleeve for PFNA Blade
Dia. 3.0 mm



714.072 T - Handle Quick Coupling



303.070 Depth Gauge with 150mm Long Sleeve



Instruments

713.008 Detachable Slide Hammer 400 gms.



386.010 Bone Hammer 200 gms



714.520 Trocar with T- Handle 11.0mm Dia.



714.535 Protection Sleeve for 4.9mm Locking Bolt



710.005 Palstic Medullary Tube




261.641 Drill Bit Plain Shank 4.0mm x 300mm Long



714.540 Drill Sleeve for 4.0mm Drill Bit



714.545 Depth Gauge for PFNA



Instruments

301.051 Extra Long Screw Driver 3.5mm Tip




723.039 Reaming Rod Plain 2.5mm x 850mm Length






OPTIONAL INSTRUMENTS

714.637 Distal Aiming Device for PFNA Nail
(Part A+B)



Instruments

- 400.092 Graphic Aluminium Box with Three Tray for PFNA Instruments Sets



Instruments

PFNA - II Instrument Set

Cat No. IS.107	Description	Units
714.602	PFNA JIG - 130 DEG.	1
714.604	Attachment for PFNA Blade	1
714.606	Distal Hole Attachment	1
714.608	Locking Bolt for Attachment	1
714.610	Extractor for PFNA Blade	1
714.612	Extractor for PFNA Nail	1
714.614	8.0mm Ball Hex Screw Driver With T - Handle	1
714.616	Key For PFNA Blade	1
714.620	Threaded Protection Sleeve For PFNA 10.0mm Reamer & PFNA Blade	1
714.622	Conical Bolt For PFNA	1
714.624	Guide Wire Sleeve For 2.5mm X 850mm Long Wire	1
714.626	Threaded Screw Driver for PFNA Blade	1
714.628	Threaded Guide Wire 3.0mm X 428mm Long	2
714.630	Protection Sleeve for Proximal Entry Reamer 16mm	1
714.634	Hammer Guide	1
714.636	Impacting Device for Hammer	1
714.638	Cannulated T- Handle for Medullary Canal	1
714.560	Proximal Entry Reamer 16.0mm for PFNA	1
723.021	Cannulated Awl for Femur I.L. Nail	1
714.570	PFNA Reamer 10.0mm - Length 380mm	1
714.575	Guide Wire Sleeve for PFNA Blade Dia - 3.0mm	1
714.072	T - Handle Quick Coupling	1
303.070	Depth Gauge with 150mm Long Sleeve	1
713.008	Detachable Slide Hammer 400 gms.	1
368.010	Bone Hammer 200 gms	1
714.520	Trocar with T - Handle 11.0mm Dia	1
714.535	Protection Sleeve for 4.9mm Locking Bolt	1
710.005	Plastic Medullary Tube	1
261.641	Drill Bit Plain Shank 4.0mm X 300mm Long	1
714.540	Drill Sleeve for 4.0mm Drill Bit	1
714.545	Depth Gauge for PFNA	1
301.051	Extra Long Screw Driver 3.5mm Tip	1
723.039	Reaming Rod Plain 2.5mm X 850mm Length	1
400.092	Graphic Aluminum Box with Three Tray for PFNA Instrument Set	1

Flexible Reamer Shaft Fixed Head - Stainless Steel
17-4-PH

Cat No.	Dia(mm)
XP712.280	8.0
XP712.285	8.5
XP712.290	9.0
XP712.295	9.5
XP712.300	10.0
XP712.305	10.5
XP712.310	11.0
XP712.315	11.5
XP712.320	12.0
XP712.325	12.5
XP712.330	13.0
XP712.335	13.5



IS.039 Flexible Reamer Set- Fixed head


PFNA- II

Cat No. IS.039	FLEXIBLE REAMER SET - FIXED HEAD	Units
XP712.280	Flexible Reamer Shaft Fixed Head 8.0 MM Dia-Stainless Steel 17-4-PH	1
XP712.285	Flexible Reamer Shaft Fixed Head 8.5 MM Dia-Stainless Steel 17-4-PH	1
XP712.290	Flexible Reamer Shaft Fixed Head 9.0 MM Dia-Stainless Steel 17-4-PH	1
XP712.295	Flexible Reamer Shaft Fixed Head 9.5 MM Dia-Stainless Steel 17-4-PH	1
XP712.300	Flexible Reamer Shaft Fixed Head 10.0 MM Dia-Stainless Steel 17-4-PH	1
XP712.305	Flexible Reamer Shaft Fixed Head 10.5 MM Dia-Stainless Steel 17-4-PH	1
XP712.310	Flexible Reamer Shaft Fixed Head 11.0 MM Dia-Stainless Steel 17-4-PH	1
XP712.315	Flexible Reamer Shaft Fixed Head 11.5 MM Dia-Stainless Steel 17-4-PH	1
XP712.320	Flexible Reamer Shaft Fixed Head 12.0 MM Dia-Stainless Steel 17-4-PH	1
XP712.325	Flexible Reamer Shaft Fixed Head 12.5 MM Dia-Stainless Steel 17-4-PH	1
XP712.330	Flexible Reamer Shaft Fixed Head 13.0 MM Dia-Stainless Steel 17-4-PH	1
XP712.335	Flexible Reamer Shaft Fixed Head 13.5 MM Dia-Stainless Steel 17-4-PH	1
400.083	Graphic Aluminum Box For Fixed Head Flexible Reamer	1



Siora Surgicals Private Limited

Manufacturer of:
Trauma & Spine Implants



Regd. & Corporate Office

WZ-1, Phool Bagh, Rampura
Delhi - 110035, INDIA



Office Land line:

+91 11 28316116 , 17, 18



Manufacturing Unit:

1792, HSII DC Indl. Estate
RAI District, Sonapat
Haryana- 131029, INDIA



www.siora.com



impex@siora.net



exports@siora.net